

PrimerPro Setup Tutorial for Syllabic Alphabets

PrimerPro is a computer application designed to assist literacy personnel in the creation of scientifically designed primers, by capitalizing on the grammatical and phonological properties of these languages. The program and accompanying instructions help primer developers determine the teaching order of consonants, find buildable words for stories, check stories for untaught letters, and perform other key tasks in producing reading primers.

This tutorial is a step by step procedure on how to set up PrimerPro to assist you in producing a primer. The tutorial will walk through a scenario for using PrimerPro with language that has a syllabary writing system. Please note that there are other scenarios for using PrimerPro that are just as valid. Once you use this tutorial for learning PrimerPro, you should feel comfortable on how to set up PrimerPro in your situation. This tutorial assumes that PrimerPro had never been run on your computer before now.

You will also need a 4,000+ word list, in a Standard Format File or LIFT file, in UTF-8 format. This can be created using either Toolbox, FieldWorks or WeSay. You will also need a 4000+ words of edited text (so the spelling is correct!) in plain text files in UTF-8 format. You will also need the orthography statement or sketch for the language.

This tutorial is based version 2.5 of PrimerPro

Installation

The installation consists of one executable file: PrimerProSetup254.exe. This contains all the files necessary for running the application.

Below are the steps for installing PrimerPro.

1. Run PrimerProSetup25.exe by double-clicking on it.
2. Click **Next**.
3. Browse for the desire folder for installing the application. Then click **Next**.
4. Click **Next**.
5. Click **Install**.
6. Click **Finish**.
7. In **Windows Explorer**, navigate to the PrimerPro subfolder in the Documents folder. Create a new subfolder in the PrimerPro folder. You should give it the language name of the primer. This will also be your project name. This new folder will be *your data folder* for the project. Primer Pro will soon start putting info there.

Starting PrimerPro

You can start the program by double-clicking on the **PrimerPro** icon on the desktop.

Creating a New Project

The first thing you want to do is create a project. Below are the steps.

1. On the **File** menu, click **Create New Project**.

The **Create New Project** dialog box appears.

2. In the **Project Name** box, enter the language name of the primer. Click **OK**.

The project has been created and is now the current, or *active*, project. An empty grapheme inventory has been created.

Verify Folder Options

The data folder and the template folder should be the same folder with the project name as a subfolder under the PrimerPro folder. To verify that your data folder and template folder has been set up properly, do the following:

1. On the **Tools** menu, click **Options**, and then click the **Folder** tab.

The **Options** dialog box appears, with the **Folder** tab selected.

2. Verify the **Data Folder** box is correct.

If not, click the adjacent **Browse** button. In the **Browse for Folder** dialog box, navigate to *your data folder*, which you created after installation. Select it. Then click **OK**.

3. Verify the **Template Folder** box is correct.

If not, click the adjacent **Browse** button. In the **Browse for Folder** dialog box, navigate to *your data folder* and select it. Then click **OK**.

4. Click **OK** when done.

Verify File Options

The current grapheme inventory file should be GraphemeInventory.xml in your data folder. The current sight words file should be SightWords.xml in your data folder. The current graphemes taught file should be GraphemeTaughtOrder.xml in your data folder. The current parts of speech file should be PSTable.xml in your data folder. To verify this, do the following.

1. On the **Tools** menu, click **Options**, and then click the **File** tab.

The **Options** dialog box appears, with the **File** tab selected.

2. Click **OK** when done.

Now the current word list and current text data should be blank.

Verify Format Options

The default font should be Andika if you have the Andika font on your computer. Otherwise another font found on your computer will be displayed. The highlight color should be black. To verify this, do the following

1. On the **Tools** menu, click **Options**, and then click the **Format** tab.

The **Options** dialog box appears, with the **Format** tab selected.

2. To change the default font, click **Change Default Font**. The **Font** dialog box appears. Navigate to the desired **Font**, **Font style** and **Size**. Click **OK** when done.

3. To change the highlight color, click **Change Highlight Color**. The **Color** dialog box appears. In the **Basic colors** box, click the desired color. Click **OK** when done. The **Options** dialog box reappears with a sample of the desired color.
4. Click **OK** when done.

Setup View Options.

1. On the **Tools** menu, click **Options**, and then click the **View** tab.

The **Options** dialog box appears, with the **View** tab selected.

2. Select **English Gloss** or select **National Gloss** or both whatever is appropriate.
3. Select **Part of speech**.
4. Select other choices, as needed.
5. Click **OK** when done.

Setup SFM Options

If you are going to import a Standard Format Marker (SFM) wordlist file, you will need to indicate which field codes you are using in the wordlist file.

1. On the **Tools** menu, click **Options**, and then click the **SFM** tab.

The **Options** dialog box appears, with the **SFM** tab selected.

2. Do any of the following:
 - In the **Record Marker** box, enter the desired field marker. This is the field marker that marks the beginning of a record. The default is **lx**.
 - In the **Word Transcription** box, enter the desired field marker. The default is **lx**.
 - In the **English Gloss** box, enter the desired field marker. The default is **ge**.
 - In the **National Gloss** box, enter the desired field marker. The default is **gn**.
 - In the **Regional Gloss** box, enter the desired field marker. The default is **gr**.
 - In the **Parts of Speech** box, enter the desired field marker. The default is **ps**.
 - In the **Plural** box, enter the desired field marker. The default is **pl**.
 - In the **Root** box, enter the desired field marker. The default is **rt**.
3. Click **OK** when done.

Setup LIFT options

If you are going to import a LIFT (Lexicon Interchange Format) wordlist file, you will need to specify the language codes (2 or 3 characters) used by the LIFT wordlist file. For vernacular languages, it is usually the Ethnologue code.

1. On the **Tools** menu, click **Options**, and then click the **Lift** tab.

The **Options** dialog box appears, with the **Lift** tab selected.

2. Do any of the following:
 - In the **Vernacular** box, enter the desired language code used in the LIFT file to identify the vernacular language.
 - In the **English Gloss** box, enter the desired language code used in the LIFT file to identify the English gloss. It is usually **en**.
 - In the **National Gloss** box, enter the desired language code used in the LIFT file to identify the national gloss.
 - In the **Regional Gloss** box, enter the desired language code used in the LIFT file to identify the regional gloss.
3. Click **OK** when done.

Set up CV Options

These settings specify the symbols to be used when displaying the CV (consonant-vowel) pattern. Usually you can just accept the default options. If you want to change them, consult the Help facility for more information.

Set up Punctuation Options

These settings specify the symbols used for punctuation in the text data. The Ending Punctuation List is used for determining where sentences break occur. The General Punctuation List is used for determining what a word is. It will also determine where words break occur.

1. On the **Tools** menu, click **Options**, and then click the **Punctuation** tab.
The **Options** dialog box appears, with the **Punctuation** tab selected.
2. Do any of the following:
 - In the **Ending punctuation list** box, enter the punctuation symbols as a string of symbols that can be used at the end of a sentence. The default is **".?!"**.
 - In the **General punctuation list** box, enter the punctuation symbols as a string of symbols that can be used within a sentence. The default is **" ;:-,"**.
3. Click **OK** when done.

Setup Import Options

These settings specify parameters for importing word list and text data.

1. On the **Tools** menu, click **Options**, and then click the **Import** tab.
The **Options** dialog box appears, with the **Import** tab selected.
2. Do any of the following:
 - In the **Maximal size of graphemes** box, enter the largest number of characters a grapheme can have, for this language. The default is 4.
 - In the **Characters to ignore** box, enter the characters that you want the import process to ignore for either the word list or the text data. The application will handle these

characters as if they do not exist in the data. An example of items you want PrimerPro to ignore would be chapter and verse numbers in a book of the Bible.

- For the **Characters to replace** table, refer to the help facility.

3. Click **OK** when done.

Now you have completed setting up all the options settings.

Setting up the Grapheme Inventory

Now you are ready to add graphemes to the Grapheme Inventory list. You will now update the syllograph list by searching for syllographs in a text file or a word list.

1. On the **Tools** menu, point to **Grapheme Inventory**, and click **Initialize Syllograph Inventory**.

The **Initialize Syllograph Inventory** dialog box appears.

2. Do one of the following

- Click **Initialize using text data file**, if you want to use a text data file for finding syllographs

Navigate to the desired file, select it and click **Open**. The **Initialize Syllograph Inventory** dialog box reappears.

- Click **Initialize using word list file**, if you want to use a word list file for finding syllographs

Navigate to the desired file, select it and click **Open**. The **Initialize Syllograph Inventory** dialog box reappears

3. Click **OK** when done.

All unique symbols found in the text data file or the word list file have been added to the grapheme inventory.

4. To add category information for each syllograph to the grapheme inventory, on the **Tools** menu, point to **Grapheme Inventory**, and click **Update Syllograph Inventory**.

In the **Update Syllograph Inventory** dialog box, The first grapheme is displayed, enter the desired category information in one or more of three category textboxes.

You have a primary category, a secondary category and tertiary category. These categories can be used for grouping syllographs in a particular group for teaching order purposes.

5. To add a new syllograph to the inventory, click **Add**. The **Update Syllograph Inventory** dialog box reappears with empty fields. Enter the desired syllograph and its appropriate categories. Click **Save**. Then click **OK**. The **Update Syllograph Inventory** dialog box reappears.

6. Click **Previous** to display the previous syllograph in the inventory. Click **Next** to display the next syllograph in the list.

7. To find a given syllograph, in the **Find** text box, type the syllograph. Then click **Find**. The syllograph is displayed. If the application cannot find the syllograph, it means the syllograph is not in the inventory and will need to be added.
8. If you want to change the categories of the displayed syllograph, just make the appropriate changes and then click **Save**.
9. When done, click **Exit**.

For more information on the grapheme inventory, refer to the help facility.

Verifying the Grapheme Inventory

Next you will want to verify that Grapheme Inventory has been correctly setup. First you should display the Grapheme Inventory to verify that all the graphemes are there

- On the **View** menu, click **Grapheme Inventory**. On the **Format** Menu, set the **Word Wrap**.
All of the syllographs from the current grapheme inventory, are displayed in the active document.

You should also display the syllograph chart to verify the syllographs have the correct categories.

- On **Search** menu, click **Syllograph Chart Search**.

The Syllograph Chart is displayed in the currently active document.

If you need to make any changes to the grapheme inventory, you should do so and then go through the verification process again. This can be an iterant process.

Importing Word List

Now you are ready to import the wordlist. The word list file needs to be a Standard Format Marker (SFM) file or a Lift file. It must be a UTF-8 file as well. If it is a SFM, verify that you have the correct field codes in the option settings to match the word list. If it is a LIFT file, make sure you have the correct language codes in the option settings to match the word list.

1. To import a wordlist file, do one of the following.
 - On the **Tools** menu, point to **Word List**, and point to **Import** and click **Standard Format Lexicon**. This will open a Standard Format Marker (SFM) file.
 - On the **Tools** menu, point to **Word List**, and point to **Import** and click **LIFT Lexicon**. This will open a Lexicon Interchange Format (LIFT) file.

The **Open** dialog box appears.

2. Navigate to and select the desired file, and then click **Open**.
The wordlist is loaded.
3. Click **OK** after wordlist has been imported.

Now to verify the word list has been imported properly, display a listing of the current wordlist.

- On the **View** menu, click **Word List**.

A listing of the current wordlist, along with a count, is displayed in the active document. Information about each word is displayed with the word.

You also might want to check to verify that you do not have any unwanted characters in the word list. If so, you may need to clean up the word list.

- On the **Tools** menu, point to **Word List**, and then click **Check against Grapheme Inventory**.

PrimerPro will display a list of any characters which are in the word list, but are not in grapheme inventory.

Importing the Text Data

Now you are ready to import the text data. The text data must be a UTF-8 plain text.

1. On the **Tools** menu, point to **Text Data**, and then click **Import**.

The **Open** dialog box appears.

2. Navigate to and select the desired file, and then click **Open**.

The text data is loaded.

3. Click **OK** after text data has been imported.

If you have several text files, you need to merge them.

1. On the **Tools** menu, point to **Text Data**, and then click **Merge**.

The **Open** dialog box appears.

2. Navigate to and select the desired file, and then click **Open**.

The selected text data is appended to the current text data.

3. Click **OK** after text data has been merged with current text data.

After merging all the files, you need to save the new file you've created.

4. On the **Tools** menu, point to **Text Data**, and then click **Export**.

The **Save As** dialog box appears.

5. Navigate to the desired folder.

In the **File name** text box, enter the desired file name for the new text data file, and then click **Save**.

The current text data is saved to the selected file as a UTF-8 plain text file. This becomes the new current text data.

6. Click **OK** after exporting.

Now to verify the text data has been imported properly, display a listing of the current text data.

- On the **View** menu, click **Text Data**.

The text of the current text data, along with the paragraph count, the sentence count and the word count, is displayed in the currently active document.

You also might want to check to verify that you do not have any unwanted characters in the text data. If so, you may need to clean up the text data.

- On the **Tools** menu, point to **Text Data**, and then click **Check against Grapheme Inventory**.

PrimerPro will display a list of any characters which are in the text data, but are not in grapheme inventory.

Generating Syllabic Chart

The syllograph chart will show you all the syllographs to be taught. This is useful for verifying you have all the syllographs required to be taught.

1. To generate a syllograph chart, do the following.
 - On the **Search** menu, click **Sylograph Chart Search**.

The syllograph chart is displayed in the active document .

2. To save the chart as a RTF file, do one of the following.
 - Press **Ctrl+S**.
 - On the **File** menu, click **Save**.
 - On the **File** menu, click **Save As**.

The **Save As** dialog box appears. In the **Save in** list, navigate to the appropriate folder. In the **File name** box, type the appropriate name, for example, VowelReport.rtf. Click **Save**.

Then you can print the chart or display it in a word processor to review it. If you need to make changes, you will need to update the grapheme inventory.

Determining Grapheme Taught Order

To determine the suggested Grapheme Taught Order, you will need to run the Teaching Order search. You can also run the Frequency Count search to inform the process. Using these searches giving priority to the Teaching Order search, you can determine the teaching order.

1. To generate a recommended teaching order, do the following.
 - On the **Search** menu, point to **Text Data**, and click **Teaching Order Search**.

The **Teaching Order Search** dialog box appears.

Reset **Consonant** and set **Sylograph**. Select the desired category. Then click **OK**.

The search results are displayed in the active document.

2. To generate a frequency count, do the following.
 - On the **Search** menu, point to **Text Data**, and click **Frequency Count Search**.

The **Frequency Count Search** dialog box appears.

If you want to see percentages with the count, set **Display Percentage**. Then click **OK**.

The search results are displayed in the active document.

3. To save the results as a RTF file, do one of the following.
 - Press **Ctrl+S**.
 - On the **File** menu, click **Save**.
 - On the **File** menu, click **Save As**.

The **Save As** dialog box appears. In the **Save in** list, navigate to the appropriate folder. In the **File name** box, type the appropriate name, for example, PrimerProgressionReport.rtf. Click **Save**.

Then you can print the results or display it in a word processor.

4. Using these results, draft a teaching order.
5. Enter the teaching order onto the Primer Progression Chart.

Setup Conclusion

Now you have completed the setup. To exit PrimerPro, do the following.

- On the **File** menu, click **Exit**.

PrimerPro will remember the last current project and all its option settings. The next time you start PrimerPro, the project will be selected with all its options setting. The associated word list file and text date file will be automatically imported.